PARMANENT ADDRESS	PHOTO	PRESENT ADDRESS
MR. JAI PRAKASH SINGH S/O LAL BAHADUR SINGH VILL- BRAHIMPUR POST- SARDAR NAGAR DISTRICT- GORAKHPUR MOBILE- 9935177124		MR. JAI PRAKASH SINGH ADD- MAHAVIR GENERAL STORE POST- GHANSOLI DISTRICT- THANE, NAVI MUMBAI MOBILE- 8840878638

CURRICULUM- VITAE

POST APPLIED FOR	:	"6G TIG & ARC WELDER"
FULL NAME	:	JAI PRAKASH SINGH
FATHER'S NAME	:	LAL BAHADUR SINGH
MOTHER'S NAME	:	PRAYAGI DEVI
BIRTH DATE	:	26/04/1980
EDU. QUALIFICATION	:	GRADUATION
NATIONALITY RELIGION	:	INDIAN/ HINDU
MARITAL STATUS	:	MARRIED
LANGUAGE KNOWN	:	HINDI, ENGLISH

PASSPORT DETAILS:-

PASSPORT NO	PLACE OF ISSUE	DATE OF ISSUE	DATE OF EXPIRY
C-3803566	LUCKNOW	11/10/2024	10/10/2034

WORK EXPERIENCE IN GULF 14 YEARS

SR.NO	NAME OF COMPANY	DESIGNATION	PERIOD
1	DAESHIN PLANT CONSTRUTION COMPANY IRAQ	GTAW/SMAW	24/06/2023 to 15/08/2024
2	ATCO COMPANY IRAQ	GTAW/SMAW	14/08/2020 to 28/11/2022
3	SAMSONG COMPANY IRAQ	GTAW/SMAW	18/03/2017 to 20/08/2018
4	HOTENGEERING KUWAIT	GTAW/SMAW	30/07/2013 to 18/12/2015
5	NICO INTERNATIONAL DUBAI	GTAW/SMAW	15/06/2010 to 16/07/2013

(JAI PRAKASH SINGH)

वीजा / VISA

भारत गणराज्य / REPUBLIC OF INDIA

प्रकार / Type	कोड / Code	राष्ट्रीयता / Nationality	पासपोर्ट सं. / Passport No.
P	IND	भारतीय / INDIAN	C3803566



उपनाम / Surname
SINGH

दिया गया नाम / Given Name(s)
JAI PRAKASH

जन्मतिथि / Date of Birth: 26/04/1980
लिंग / Sex: M

जन्म स्थान / Place of Birth
GORAKHPUR,UTTAR PRADESH

J.P.SINGH

जारी करने का स्थान / Place of Issue
LUCKNOW

जारी करने की तिथि / Date of Issue: 11/10/2024



समाप्ति की तिथि / Date of Expiry: 10/10/2034

P<INDSINGH<<JAI<PRAKASH<<<<<<<<<<<<<<<<<<<<<<
C3803566<5IND8004266M3410107107013463502 4<44

वीजा / VISA

IND

C3803566

पिता / कानूनी अभिरक्षक का नाम / Name of Father / Legal Guardian
LAL BAHADUR SINGH

माता का नाम / Name of Mother
PRAYAGI DEVI

पति या पत्नी का नाम / Name of Spouse
RAMBHA SINGH

पता / Address
VILL-EBRAHIMPUR

POST-SARDAR NAGAR,GORAKHPUR

PIN:273202,UTTAR PRADESH,INDIA

पुराने पासपोर्ट का नं. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue
N6027171 17/12/2015 LUCKNOW

फाइल नं. / File No.
LK1070134635024



	BASRAH REFINERY UPGRADING PROJECT **WELDER QUALIFICATION RECORD**	Contractor Job Code 0-8494-20-0000 Contract No 5360/B/2020 Project Doc. No. SP-000-16700-2003 Page 1 of 1

Photograpgh



Welder's Name : **JAI PRAKASH SINGH** 09-July-2023 W/N : DSP-48

Welding Process(es) used: GTAW + SMAW Type : MANUAL

Identification of WPS followed by welder durring of test coupon SGS-0101-N01

Base material(s) Welded A 106 Gr.B + A 106 Gr.B Thickness 10.97 mm (6" Sch.80)

Manual or Semi-automatic Variables for Each Process	**Actual Values**	**Range Qualified**
Backing(metal, weld metal, welded from both sides, flux, etc.)	GTAW WITHOUT/ SMAW WITH	GTAW WITH & WITHOUT/ SMAW WITH
P-No. 1 to P-No. 1	P-No. 1	P-No. 1
Plate Pipe (enter diameter, if pipe)	6"	2-7/8" and Above
Filler metal specification(SFA) : SFA5.18 & SFA5.1 Classification	ER70S-6 & E7018-1	ER70S-6 & E7018-1
Filler metal F-No.	6 & 4	6 & 4
Consumable insert for GTAW or PAW	N/A	N/A
Weld deposit thickness for each welding process	GTAW 3mm SMAW 7.97 mm	GTAW 6mm SMAW 15.94 mm
Welding position (1G, 5G, etc.)	6G	ALL POSITION
Progression (Uphill / Downhill)	Uphill	Uphill
Backing gas for GTAW, PAW, or GTAW : fuel gas for OFW	N/A	N/A
GMAW tranfer mode	N/A	N/A
Welding current type / polarirty	DCEN & DCEP	DCEN & DCEP

Machine Welding Variables for the process Used	**Actual Values**	**Range Qualified**
Direct / remote visual control	N/A	N/A
Automatic voltage control (GTAW)	N/A	N/A
Automatic joint tracking	N/A	N/A
Welding Position (1G, 5G, etc.)	N/A	N/A
Consumable insert	N/A	N/A
Backing (metal, weld metal, welded from both sides, flux, etc.)	N/A	N/A

Guided Bend Test Result (If required)

Type of Guided Bend Test	Side Results	Trans. R & F Results	Long. R & F Results
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Radiographic test results Report No : DHN-RT-013 RT Results : ■ Accept ☐ Reject

(For altenative qualification of groove welds by radiography)

Fillet weld - Fracture test _____ Length and percentage of defect _____ mm

Macro test fusion _____ Fillet leg size _____ mm X _____ mm Concavity/convexity _____ mm

Welding Test Conducted by _____

Mechanical Test Conducted by Laboratory Test No.

DAESHIN PLANT	JGC / HDEC	EMPLOYER (If Required)
Name : SUDHIR SINGH	Name : SAI KRISHNA	Name :
Signature : Singh	Signature : S Krishna	Signature :
Date :	Date :	Date :

BASRAH REFINERY UPGRADING PROJECT
WELDER QUALIFICATION RECORD

Contractor Job Code	0-8494-20-0000
Contract No	5360/B/2020
Project Doc. No.	SP-000-16700-2003
Page	1 of 1

Photograpgh



Welder's Name : JAI PRAKASH SINGH 09-July-2023 W/N : DSP- 48

Welding Process(es) used: GTAW Type : MANUAL

Identification of WPS followed by welder durring of test coupon SGT-0101-N01

Base material(s) Welded A 106 Gr.B + A 106 Gr.B Thickness 5.54 mm (2" Sch.80)

Manual or Semi-automatic Variables for Each Process	Actual Values	Range Qualified
Backing(metal, weld metal, welded from both sides, flux, etc.)	WITHOUT	WITH & WITHOUT
P-No. 1 to P-No. 1	P-No. 1	P-No. 1
Plate Pipe (enter diameter, if pipe)	2"	3/4 and Above
Filler metal specification(SFA) : SFA5.18 Classification	ER70S-6	ER70S-6
Filler metal F-No.	6	6
Consumable insert for GTAW or PAW	N/A	N/A
Weld deposit thickness for each welding process	5.54	11.08
Welding position (1G, 5G, etc.)	6G	ALL POSITION
Progression (Uphill / Downhill)	Uphill	Uphill
Backing gas for GTAW, PAW, or GTAW : fuel gas for OFW	N/A	N/A
GMAW tranfer mode	N/A	N/A
Welding current type / polarirty	DCEN	DCEN

Machine Welding Variables for the process Used	Actual Values	Range Qualified
Direct / remote visual control	N/A	N/A
Automatic voltage control (GTAW)	N/A	N/A
Automatic joint tracking	N/A	N/A
Welding Position (1G, 5G, etc.)	N/A	N/A
Consumable insert	N/A	N/A
Backing (metal, weld metal, welded from both sides, flux, etc.)	N/A	N/A

Guided Bend Test Result (If required)

Type of Guided Bend Test	Side Results	Trans. R & F Results	Long. R & F Results
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Radiographic test results Report No : DHN-RT-007 RT Results : ■ Accept ☐ Reject

(For altenative qualification of groove welds by radiography)

Fillet weld - Fracture test _____ Length and percentage of defect _____ mm

Macro test fusion _____ Fillet leg size _____ mm X _____ mm Concavity/convexity _____ mm

Welding Test Conducted by _____

Mechanical Test Conducted by Laboratory Test No.

DAESHIN PLANT	JGC / HDEC	EMPLOYER (If Required)
Name : SUDHIR SINGH	Name : SAI KRISHNA	Name :
Signature : Singh	Signature :	Signature :
Date :	Date :	Date :

BASRAH REFINERY UPGRADING PROJECT

WELDER QUALIFICATION RECORD

Contractor Job Code	0-8494-20-0000
Contract No	5360/B/2020
Project Doc. No.	SP-000-16700-2003
Page	1 of 1

Welder's Name: JAI PRAKASH SINGH 01-Sep-2023 W/N: DSP-048



Welding process(es) used : FCAW Type: SEMI AUTO

Identification of WPS followed by welder during welding of test coupon SFC-0101-N01

Base material(s) welded P-No. 1 + P-No. 1 Thickness 12mm

Manual or Semi-automatic Variables for each Process	Actual Values	Range Qualified
Backing (metal, weld metal, welded from both sides, flux, etc.)	WITH	WITH
P-No. 1 to P-No. 1	P-No. 1	P-No. 1
Plate Pipe (enter diameter, if pipe)	12mm	24mm
Filler metal specification (SFA) : 5.2 Classification	E71T-1C	E71T-1C
Filler metal F-No.	6	ALL F No-6
Consumable insert for GTAW or PAW	N/A	N/A
Welding position (1G, 5G, etc.)	3G	F.H.V
Progression (Uphill / Downhill)	UP HILL	UP HILL
Gas Uses for FCAW	CO2(99%)	CO2(99%)
GMAW transfer mode	N/A	N/A
Welding current type / polarity	DCEN	DCEN

Machine Welding Variables for the Process Used	Actual Values	Range Qualified
Direct / remote visual control	N/A	N/A
Automatic voltage control (GTAW)	N/A	N/A
Automatic joint tracking	N/A	N/A
Welding Position (1G, 5G, etc.)	N/A	N/A
Consumable insert	N/A	N/A
Backing (metal, weld metal, welded from both sides, flux, etc.)	N/A	N/A

Guided Bend Test Result (If required)

Type of Guided Bend Test	Side Results	Trans. R & F Results	Long. R & F Results
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Radiographic test results Report No. : WQT-DHN-RT-0118 RT Results : ■ Accept ☐ Reject

(For alternative qualification of groove welds by radiography)

Fillet weld - Fracture test N/A Length and percentage of defect N/A mm

Macro test fusion N/A Fillet leg size ____ mm x ____ mm Concavity/convexity ____ mm

Welding Test Conducted by

Mechanical Test Coducted by Laboratory Test No.

DAESHIN PLANT	JGC / HDEC	EMPLOYER (If Required)
Name : SUDHIR SINGH	Name : SAI KRISHANA	Name :
Signature : Singh	Signature :	Signature :
Date : 01/Sep/2023	Date : 01st Sept 2023	Date :

BASRAH REFINERY UPGRADING PROJECT

WELDER IDENTIFICATION



NAME :	JAI PRAKASH SINGH		
Badge No :	N/A	WELDER No:	DSP-48
Subcontractor :	DAESHIN PLANT Construction Co., Ltd.		
ISSUE BY :			

Welder Performance Qualification in accordance with ASME IX

PROCESS	GTAW	GTAW + SMAW
MATERIAL	P-No. 1	P-No. 1
DIAMETER	3/4" and Above	2-7/8" and Above
THICKNESS	11.08 mm	GTAW : 6 mm, SMAW : 15.94
POSITION	ALL POSITION	ALL POSITION
Remarks		


WARA PRESSURE MAINTENANCE PROJECT

Welder Qualification Record - ASME SEC IX

GS E&C

HOT


Record No.:	WQT/ 325A	Date	27/Feb/2014
		Page	1
Welder ID No.	HW284 ✓	Sub Con. Name	HOTECC
Welder Name	JAIPRAKASH SING ✓	Welder Test Date	25-Aug-13
WPS No.	72 ✓ Rev. A	Valid up to	24-Feb-15



This welder is qualified for the range mentioned below :-

Variable		Actual Values Used for Qualification	Range of Qualified
Process		GTAW+SMAW ✓	GTAW+SMAW
Type of Process		Manual	Manual
Backing		Without backing for root pass	With or without backing for root pass
		Other Passes With Backing	Other Passes With Backing
Base material		P1 ✓	P1 Through P15F,P34&P41 Through P49
Deposited Thickness of each Process	Groove	14.27 mm	~~GTAW 8 mm max.-SMAW unlimited~~ 20.64mm
	Fillet	NA	ALL
Diameter	Groove	6" NB Sch XS 120	2 7/8" and over
	Fillet	NA	ALL
Filler Metal	AWS Class.	ER70S-2&E7018H4R	Applicable F Numbers
	AWS Spec.	A5.18 & A5.1	A5.18 & A5.1,A5.5
		F6&4 with backing	F1,F2,F3,&F4 with backing&F6 without backing
Welding Position		6G	ALL
Progression		UPHILL	UPHILL
Type of Shielding Gas		Argon	Argon
Electrical Characteristics	Current Polarity	DCEN(GTAW)+DCEP(SMAW)	DCEN(GTAW)+DCEP(SMAW)
Others			

Visual Examination of Completed weld : Satisfactory



Joint Design-V Groove

Guided Bend Test Results

Type & Fig. No.	Results	Type & Fig. No.	Results
N/A	N/A	N/A	N/A

Radiographic Test Results (Alternative Qualification of Groove Welds by Radiography)

RT Results	Satisfactory	Report No.	1772/HOT/WQT/RT-123

Fillet Test Results : N/A *NB/HOT/PIPING/RT-785

Fracture Test : N/A | Length & Percent of Defects :

Macro Test : N/A | Fillet Leg Length : N/A | Convexity/Concavity : N/A

We cetify that the statements in this record are correct and that test coupons were prepared, welded and tested in accordance with the requirements of ASME SEC IX(2010th Edition) * Renewal of Qualification.

Prepared by (HOTECC)	Reviewed by (GS)	Approved by (Company)
Name : RATHEESH PAJU.	Name : S. C. KO	Nai : NIAZ B.
Designation : QCI	Designation : QCE	Designation : WIE
Sign. :	Sign. :	Sig :
Date : 02/02/14	Date : 02/02/2014	Dat : 06/03/2014

NICO INTERNATIONAL, FUJAIRAH

P.O. Box 2978, Fujairah
Tel: +971-9-2249400 Fax: +971-9-2249504
E-mail: fab.fuj@topaz-engineering.com

WELDER PERFORMANCE QUALIFICATIONS (WPQ)

See QW-301, Section IX, ASME Boiler and Pressure Vessel Code)

Welder's Name	Mr JAYAPRAKASH SINGH
Badge No.	4000950
Qualification Date	10 02.2011



Test Description

Identification of WPS followed: TFC-004 Thickness: 14.27mm

Specification and type/grade or UNS Number of base metals): SA 106 Gr.B

Test Type: ☑ Test Coupon ☐ Production Weld

Testing Variables and Qualification Limits

VARIABLE	Actual Variables	Range Qualified
Welding process(es)	SMAW	SMAW
Type(i.e.; manual, semi-automatic) used	MANUAL	MANUAL
Backing (with/without)	WITHOUT BACKING	WITH/WITHOUT BACKING
☐ Plate ☑ Pipe(enter diameter if pipe or tube)	168.30mm OD (6" NPS)	73mm OD (2 1/2"NPS) to Unlimited
Base Metal P-Number to P-Number	P1	P1 TO P15F, P34 , P41 TO P49
Filler metal or electrode specification(s) (SFA) (info only)	SFA 5.1	-----
Filler metal or electrode classifications(s) (info only)	E7016-1 + E7018-1	-----
Filler metal F-Number(s)	F.No.4	F.No.1 to F.No.3 with backing and F.No.4 with or without backing
Consumable Insert (GTAW or PAW)	NA	NA
Filler Metal product Form (solid/metal or flux cored / powder) (GTAW or PAW)	NA	NA
Weld Deposit thickness for each process Process 1 SMAW 3 layers minimum ☑ Yes ☐ No	14.27mm	Maximum to be welded
Process 2 NONE 3 layers minimum ☐ Yes ☐ No	---	---
Position Qualified (2G,6G,3F,etc.)	6G	ALL
Vertical progression (uphill or downhill)	UPHILL	UPHILL
Type of Fuel gas (OFW)	NA	NA
Inert gas backing (GTAW,PAW,GMAW)	NA	NA
Transfer mode (spray / globular or pulse to short circuit-GMAW)	NA	NA
GTAW current type/polarity(AC, DCEP, DCEN)	NA	NA

RESULTS

Visual examination of completed weld (QW-302.4): SATISFACTORY

☐ Transverse face and root bends [QW-462.3(a)] ☐ Longitudinal bends[QW-462.3(b)] ☐ Side bends (QW-462.2)

☐ Pipe bend specimen, corrosion-resistant weld metal overlay [QW-462.5(c)]

☐ Plate bend specimen, corrosion-resistant weld metal overlay [QW-462.5(d)]

☐ Pipe specimen, macro test for fusion[QW-462.5(b)] ☐Plate specimen, macro test for fusion [QW-462.5(e)]

Type	Result	Type	Result	Type	Result
Hardness Test	PM 173, 174, 164, 180 HB	Hardness Test	WM 201, 208, 203, 204 HB	Hardness Test	HAZ 168, 179, 176, 174 HB

Alternative Volumetric Examination Results (QW-191): SATISFACTORY RT ☑ or UT ☐ (check one)

Fillet weld-fracture test(QW-181.2): NA Length and percent of defects

☐ Fillet welds in plate [QW-462.4(b)] ☐ Fillet welds in pipe [QW-462.4(c)]

Macro examination(QW-184): NA Fillet size(in): ___ x ___ Concavity/convexity(in): NA

Other test: Hardness Survey, Report No: D/2341

Film or specimen evaluated by: Ramesh(Report No:D/257821) Company: INSPEC / TE / LR

Mechanical tests conducted by: NA Laboratory test no.: NA

Welding supervised by: TOPAZ ENGINEERING

We certify that the statement in this record are correct and that the test coupons were prepared, welded and tested in accordance with the requirements of Section IX of ASME Boiler & Pressure Vessel Code.

Witnessed By LR-EMEA: Lloyd's Register EMEA, Dubai Office, Dipak M., 22/2/2011


Witnessed By PMC: Gokul Kumar

Date: 22/2/11

Manufacturer or Contractor: Jayaprakash

Date: 20/2/2011

Form No.: FM-918-1006	Consolidated Contractors Int'l Company & Teyseer Contracting Company J.V
Rev No.: 1	Pearl GTL Project
Doc. No.: QCP-918-100	WELDER QUALIFICATION TEST RECORD (W.Q.T.R)
Hand Class: SPECIFIC	
Page of	



Welder's Name: JAI PRAKASH SINGH B/N: 111476 W/N: PGW-0161

Welding process(es) used : GTAW + SMAW Type: MANUAL

Identification of WPS followed by welder during welding of test coupon 918-LTCS/CS-002

Base material(s) welded API 5L GrB Thickness 12.70mm

Manual or Semi-automatic Variables for each Process	Actual Values	Range Qualified
Backing (metal, weld metal, welded from both sides, flux, etc.)	GTAW: NONE SMAW: WELD METAL	GTAW: WITH OR WITHOUT BACKING SMAW: WITH BACKING
P-No. 1 to P-No. 1	P1 TO P1	P1 through P11, P34 & P41 through P45
☐ Plate ☑ Pipe (enter diameter, if pipe)	8" DIA	≥ 2 7/8" OD
Filler metal specification (SFA) : 5.1 & 5.18 Classification	E7018-1, ER 70S-6	E7018-1, ER 70S-6
Filler metal F-No.	F6 WITHOUT BACKING, F4 WITH BACKING	F6 WITH OR WITHOUT BACKING, F1 to F4 WITH BACKING
Consumable insert for GTAW or PAW	N/A	N/A
Weld deposit thickness for each welding process	GTAW: 4MM, SMAW: 11.09MM	GTAW: 8MM, SMAW: 22.10MM
Welding position (1G, 5G, etc.)	6G	ALL
Progression (Uphill / Downhill)	UPHILL	UPHILL
Backing gas for GTAW, PAW, or GTAW; fuel gas for OFW	99.99% Argon	99.99% Argon
GMAW transfer mode	N/A	N/A
Welding current type / polarity	GTAW: DCEN, SMAW: DCEP	GTAW: DCEN, SMAW: DCEP

Machine Welding Variables for the Process Used	Actual Values	Range Qualified
Direct / remote visual control	N/A	N/A
Automatic voltage control (GTAW)	N/A	N/A
Automatic joint tracking	N/A	N/A
Welding Position (1G, 5G, etc.)	N/A	N/A
Consumable insert	N/A	N/A
Backing (metal, weld metal, welded from both sides, flux, etc.)	N/A	N/A

Guided Bend Test Result

Type of Guided Bend Test	Trans. R&F Results
SIDE BEND - BT-372	ACCEPT
SIDE BEND - BT-373	ACCEPT

Visual Inspection : Accepted (WQT REPORT DATED - 07/05/2008)

Radiographic test results : Accepted (Report No. 54130)

(For alternative qualification of groove welds by radiography)

Fillet weld - Fracture test N/A Length and percentage of defect N/A mm

Macro test fusion N/A Fillet leg size N/A mm N/A mm Concavity/convexity N/A mm

Welding Test Conducted by : CCIC, Qatar

Mechanical Test Coducted by : QATAR INSPECTION LABORATORY Laboratory Test No.: QTL-GB-0179/08

We certify that the statements in this record are correct and that the test coupons were prepared, welded, and tested in accordance with the requirements of : ASME IX and Project Specification.

	CCIC	JK	
Name :	Hassan Ahmed Ahmed	K. Vishwakarma	JOJO BALALACAO
Signature :	Hassan Ahmed Ahmed		EDAM-BC
Date :	18.05.08	18/May/08	18 MAY '08

WARA PRESSRUE MAINTENANCE PROJECT (EF/1772)

Welder Identification

HOT



ID No.	HW284	WPS No 72
Name	JAIPRAKASH SING	
Date Qualified	25-Aug-2013	

This is to certify that the above person is qualified in accordance with ASME SEC IX

HOTECC GS KOC

HOT Engineering & Construction Co. KSCC.

Doc No: NF/QMS/Form-039 Rev 1

TOPAZ ENGINEERING

NICO INTERNATIONAL

P.O.BOX-2825 : FUJAIRAH-UAE
Tel : + 971-9-2228424 / Fax : + 971 - 9 - 2228746
E-mail: nicofuj@topaz-engineering.com

DNV

WELDER IDENTITY CARD




Badge No 4000950
NAME JAY PRAKASH
Issued On 12/19/2009
Project OT2 TOP SIDE FACILITIES

NICO INTERNATIONAL FUJAIRAH QA/QC

Rajeev.R Singh
NICO : QHSE Department.

PEARL GTL PROJECT
QUALITY CONTROL DEPARTMENT
WELDER QUALIFICATION CARD



Name	JAI PRAKASH SINGH
Welder No.	PGW-0161
Badge No	111476
Date of Test	07/05/2008

CCIC QC JK QC

Qualification Details

Name: JAIPRAKASH SING ID No. HW284

Process	Material	Electrodes	Range Thk	Range Dia	Position	Weld Progression
GTAW	P1-P15F, P34& P41-49	ER70S-2	8mm Max	2 7/8" & Above	ALL	UPHILL
SMAW	P1-P15F, P34& P41-49	E7018H4R	Unlimited	2 7/8" & Above	ALL	UPHILL

Valid up to : 24-Feb-2015

"Thickness in mm" & "Diameter in Inches". This Card may be revoked on the job, if in the opinion of the Inspection Engineer weld quality is not satisfactory.

Form No.:WQT-003

Welder is qualified for the following process(es)

Description	Process # 1	Process # 2	Process # 3
Code/Spec	ASME Sec IX		
Process	GTAW+SMAW		
Base Metal	ASTM A 106 Gr B		
Qualified for P No	CS/P1		
Weld Deposit	GTAW 10 mm, SMAW 18 mm		
Pipe Dia	73 mm and Above		
AWS Class	ER 70S-6 / E 7018		
Position	6G		

PEARL GTL PROJECT
Qualified Range as per ASME SEC IX

Variable	Qualified With	Qualified for
Welding Process	GTAW + SMAW	GTAW + SMAW
Base Metal (P#)	P1	P1 through P11, P34, P41 through P49
Filler Material(F#)	F6 without backing F4 with Backing	F6 with or without backing F1 to F4 with Backing
Pipe Diameter	8" DN	≥ 2 7/8" OD
Thickness	GTAW : 4mm SMAW : 11.09mm	GTAW : 8mm SMAW : 22.18mm
Position	6G	ALL

Qualified to WPS No : 918-003

eni
Eni Iraq b.v

WPQ (Welder Performance Qualification) Record (1/2)

Rep. No.	P-SEC-WQT-384
Job No.	SU2745
Date	18-05-2017

Project Name : ZUBAIR NORTH HM DGS	Subcontractor Name : SECL
Insp. / Test Date : 18-05-2017	Area / Location : SITE SHOP

Welder Name: JAI PRAKASH SINGH **Employee ID. No. SECL-384** **Stamp No. P-SEC-WQT-0384**

Welder Certificate No. SEC-P-WD-0196 **WPS No. SECL-WPS-11-GS-002**

TESTING VARIABLES AND RANGE

Welding Process used: SMAW Type used (i.e. manual, semi-auto): Manual welding

Backing Material Type: Weld metal(ER 70S-6)

Base Metal: P-No1 to P-No1 (P.No.1 to 15F ,34,41 TO 49)

Base Material Thickness: 10.97mm Diameter(if pipe) 6inch (73mm OD and over) Plate ☐ Pipe ☒

Filler Metal Spec. (SFA) 5.1 Filler AWS Class ER 7018-1

Filler metal F-No. 4 Qualified for F no. 4,3,2,1 with backing

Weld Deposit Thickness : 6 mm Qualified up to 12mm

Process 1 (3 layers min): Yes ☐ No ☒ Process 2 (3 layers min): Yes ☒ No ☐

Consumable Insert for GTAW & FCAW (yes)__ (no) √ Transfer Mode for FCAW N/A

Position: (1G, 5G, 6G, 3F, etc.) 6G (Qualified for all positions)

Vertical Progression:(Uphill / Downhill) Uphill

Inert Gas Type N/A Composition: N/A

Welding Current Type DCEP Transfer Mode: N/A Polarity: Positive

OtherInfo Reinforcement Height Qualified as B31.3 Table 341.3.2 Edition 2014

MECHANICAL AND NDE TEST RESULTS

(QW-302.4) Visual Examination Results Acc

Guided Bend Test Results*

(QW-462.2) Side Bend Results	(QW-462.3a) Transverse Face and Root Bends Results	(QW-462.3b) Longitudinal Bends	(QW-462.5c) Pipe bend specimen (weld metal overlay)	(QW-462.5d) Plate bend specimen (weld metal overlay)	Remarks

*For Alternative Qualification of Groove Welds by Radiography (QW-142, QW-143)

Radiographic or Ultrasonic Test Results (QW-191) RT-SEC-WQT-00

SAMSUNG ENGINEERING QA / QC 17.07.2017 Check

उत्तर प्रदेश सरकार, श्रम विभाग

अनुक्रमांक 36544 क्रम संख्या 14434

राज्य व्यावसायिक प्रशिक्षण परिषद, उत्तर प्रदेश

प्राविधिक--व्यावसायिक अंक पत्र

श्री/श्रीमती/कुमारी जयप्रकाश सिंह

सुपुत्र/पत्नी/सुपुत्री श्री लाल बहादुर सिंह ने राजकीय औद्योगिक प्रशिक्षण संस्थान, चरगावा, गोरखपुर (संस्थान का नाम) में प्रशिक्षण पूर्ण कर जुलाई सन् दोहजार 2002, अगस्त की आयोजित 30 मा० व्यवसायिक परीक्षा बेल्डर व्यवसाय में निम्न प्राप्तांको के साथ उत्तीर्ण किया है।

अखिल भारतीय व्यावसायिक प्रमाण पत्र परीक्षा उत्तीर्ण करने के उपरान्त राष्ट्रीय व्यावसायिक प्रशिण परिषद देहली से प्राप्त होने के उपरान्त प्रदान किया जायेगा।

प्रशिक्षण की अवधि अगस्त 2002 से जुलाई 2004 तक

चरित्र उत्तम जन्म तिथि 26-04-1980

अंको का विवरण

[अ] आवश्यक विषय	अधिकतम परिक्षा अंक	अंक सत्रांक	योग	प्राप्तांक परिक्षा अंक	सत्रांक	योग	कृपांक
(1) प्रयोगात्मक	300	100	400	285	98	383	
(2) सैद्धान्तिक	100	20	120	45	21	66	
(3) विज्ञान एवं कार्यशालागणना	50	10	60	30	11	41	6
(4) प्राविधिक कला	50	20	70	36	19	55	5
(5) सामाजिक अध्ययन	50	शून्य	50	32	16	48	
योग:-	550	150	700				

परीक्षार्थी का प्रमाणित हस्ताक्षर Jaiprakash Singh

पता:- ग्राम - बाहिमपुर पो० सरदारनगर जिला, गोरखपुर (उत्तर प्रदेश)

दिनांक 03-09-2004

हस्ताक्षर जाँच कर्ता ..... संयुक्त निदेशक

प्रति हस्ताक्षरित

प्रधानाचार्य
राजकीय औद्योगिक प्रशिक्षण संस्थान
चरगावां, गोरखपुर

संस्थान का नाम .....

नोट:-(१) निजी संस्थाओं के परिक्षार्थियों के लिए संयुक्त निदेशक की प्रति हस्ताक्षार आवश्यक है।
(२) व्यक्तिगत अभ्यर्थी के लिये सत्रांक का प्राविधान न होने के कारण योग में सत्रांक नही जोडे माने जाएंगे।

TOPAZ

NICO INTERNATIONAL, FUJAIRAH

WELDER IDENTITY CARD

GPSCHEMOIL OIL TERMINAL PHASE IV FUJAIRAH PROJECT

WELDER NAME : Mr JAYPRAKASH SINGH

ID / BADGE No : 4000950

ISSUED ON : 22/02/2011



Top Thermal Engineer - Quality)

For Topaz QA/QC Department

NEWTON ENGINEERS & CONSTRUCTIONS CO.


Site : R. P. L. Motikhawadi, Jamnagar, Gujarat.

WELDER IDENTITY CARD

Name of Welder :- MR. JAY PRAKASH SINGH

Welder I. D. No. :- W-0137

Project :- R. P. L.



EIL

EIL

INSPECT

Newton Engineers & Constructions Co.

TOPAZ

NICO INTERNATIONAL

P.O.BOX-2825 FUJAIRAH UAE

Tel : +971-9-2228424 / Fax : +971-9-2228746

E-mail: nicohq@topaz-engineering.com

WELDER IDENTITY CARD

Badge No 4000950

NAME JAY PRAKASH

Issued On 12/19/2009

Project OT2 TOP SIDE FACILITIES



Rajeev.R Singh

NICO : QHSE Department.

Date: OCTOBER 17, 2015

CERTIFICATE OF SERVICE

TO WHOM IT MAY CONCERN

THIS IS TO CERTIFY THAT :

NAME : MR. JAI PRAKASH SINGH LAL BAHADUR

EMP NO. : (57833)

PROFESSION : WELDER ARGON

WORKED IN OUR COMPANY FROM 31/07/2013 TILL 31/10/2015.

THIS CERTIFICATE HAS BEEN GIVEN TO HIM UPON HIS REQUEST WITHOUT ANY RESPONSIBILITY TOWARDS OTHERS.

Bandar Zaher Haneetam Al Adwani
Authorized Signatory

BOT Engineering & Construction Co.

C.R.: 20115
Tel. : (965) 2225-1818 Fax : (965) 2225-1819 P.O. Box 2518, Safat 13026 Kuwait
E-mail: botkuwait@botecc.com - Web: www.botecc.com

eni
Eni Iraq b.v

WPQ (Welder Performance Qualification) Record (1/2)

Rep. No. : P-SEC-WQT-384	
Job No. : SU2745	
Date : 18-05-2017	
Project Name : ZUBAIR NORTH HM DGS	Subcontractor Name : SECL
Insp. / Test Date : 18-05-2017	Area / Location : SITE SHOP

Welder Name: JAI PRAKASH SINGH **Employee ID. No. SECL-384** **Stamp No. P-SEC-WQT-0384**

Welder Certificate No. SEC-P-WD-0196 **WPS No. SECL-WPS-11-GS-002**

TESTING VARIABLES AND RANGE

Welding Process used: SMAW Type used (i.e. manual, semi-auto): Manual welding

Backing Material Type: Weld metal(ER 70S-6)

Base Metal: P-No1 to P-No1 (P.No.1 to 15F ,34,41 TO 49)

Base Material Thickness: 10.97mm Diameter(if pipe) 6inch (73mm OD and over) Plate ☐ Pipe ☒

Filler Metal Spec. (SFA) 5.1 Filler AWS Class ER 7018-1

Filler metal F-No. 4 Qualified for F no. 4,3,2,1 with backing

Weld Deposit Thickness : 6 mm Qualified up to 12mm

Process 1 (3 layers min): Yes ☐ No ☒ Process 2 (3 layers min): Yes ☒ No ☐

Consumable Insert for GTAW & FCAW (yes)__ (no) √ Transfer Mode for FCAW N/A

Position: (1G, 5G, 6G, 3F, etc.) 6G (Qualified for all positions)

Vertical Progression:(Uphill / Downhill) Uphill

Inert Gas Type N/A Composition: N/A

Welding Current Type DCEP Transfer Mode: N/A Polarity: Positive

OtherInfo Reinforcement Height Qualified as B31.3 Table 341.3.2 Edition 2014

MECHANICAL AND NDE TEST RESULTS

(QW-302.4) Visual Examination Results Acc

Guided Bend Test Results*

(QW-462.2) Side Bend Results	(QW-462.3a) Transverse Face and Root Bends Results	(QW-462.3b) Longitudinal Bends	(QW-462.5c) Pipe bend specimen (weld metal overlay)	(QW-462.5d) Plate bend specimen (weld metal overlay)	Remarks

*For Alternative Qualification of Groove Welds by Radiography (QW-142, QW-143)

Radiographic or Ultrasonic Test Results (QW-191) RT-SEC-WQT-00

SAMSUNG ENGINEERING QA / QC 17.07.2017 Check

AMERICAN SOCIETY OF MECHANICAL ENGINEERS

BOILER & PRESSURE VESSEL CODE

QW -484 SUGGESTED FORMAT FOR WELDER /WELDING OPERATOR PERFORMANCE QUALIFICATIONS (WPQ) (SECTION IX QW 301)



Welder's Name: **MR. JAI PRAKASH SINGH**

Clock No: **SL/W138/08***

Welding process (es) used: **GTAW + SMAW** Type: **MANUAL**

Identification of WPS followed by welder during welding: **TTS/WPS/041/100**

Base material (s) welded: **ASTM A- 106 Gr B** Thickness: **11 mm**

Manual or Semiautomatic Variables for Each Process (QW-350)	**Actual Values**	**Range Qualified**
Backing (Metal, weld metal, welded from both sides, flux, etc) (QW-402)	NONE	N/A
ASME P. No. 1 to ASME P No 1 (QW)-403)	P1	P1 Thru P1
(X) Plate (6") Pipe	6" Sch. 80	2 7/8" to 6"
Filler metal specification (SFA): 5.18 & 5.1 Classification (QW- 404)		
Filfer metal F. No ER70S2 for Root + Hot pass E-7018for fill up & capping	F4 & F6	F1 to F4 & F6
Filler material variety for GTAW or PAW	N/A	N/A
Weld deposit thickness for each welding process (Root + Hot Pass –ER70S2)	4 mm	8 mm
Weld deposit thickness for each welding process (Fill up & Capping-E 7018)	7 mm	14 mm
Welding position (1G, 5G etc) (QW-405)	6G	All
Progression (uphill/down hill)	UPHILL	UPHILL
Backing gas for GTAW, PAW or GMAW, fuel gas for OFW (QW-408)	N/A	N/A
GMAW transfer mode (QW –409)	N/A	N/A
GTAW welding current type/polarity	DCSP	DCSP
SMAW polarity	DCRP	DCRP

Visual Examination results (QW-302.4) ACCEPTABLE

Radiographic test results (QW-304 and QW-305) ACCEPTABLE Report No: **IR/2872/1/2008** Date: **17/11/2008**

(For alternative qualification of groove welds by radiography)

Fillet Weld - Fracture test N/A Length and percent of defects N/A in

Macro test fusion N/A Fillet leg size N/A in X N/A in Concavity /Convexity N/A in

Welding test conducted by **ANUPTECH TECHNICAL AND TRADE ACCREDITATION INSTITUTE, R-84, MIDC, RABALE, NAVI MUMBAI – 400 701 Tele: 27691214 fax: 27601594 website www.anuptech.com email info@anuptech.com**

Mechanical tests conducted by N/A Laboratory test no N/A

We certify that the statements in this record are correct and that the test coupons were prepared, welded and tested in accordance with the requirements of Section IX of the ASME Code .

FOR ANUPTECH
TECHNICAL AND TRADE ACCREDITATION INSTITUTE,



G. K. KUTTY

*** To verify the authenticity of this certificate Please log on: www.anuptech.com**

DAESHIN PLANT CONSTRUCTION CO., LTD.
735, Yeosusandan-ro, Yeosu-si Jeollanam-do, KOREA 59614
TEL: +82-61-685-6165 FAX: +82-61-686-6165 E-MAIL: dea6165@daeshinplant.com

Cert No: DSH-FCC-033

Certificate of Employment

Date:15-Aug-2024

This is to certify that **Mr. JAI PRAKASH SINGH, Passport No. N6027171, INDIAN** has been working with Daeshin Plant Construction Co., Ltd. as "PIPEING WELDER" for Basrah Refinery Upgrading Project (Iraq) in FCC Project from 24-Jun-2023 to 15-Aug-2024.

Daeshin Plant Co., Ltd. is thankful for his professionalism, intuition, diligence as well as his exemplary work as the **PLATE WELDER**. Furthermore, his devotion and energy put into FCC shall be recognized as one of the great contribute factors that helped the company maintain the Project Schedule.

Lastly, M/s. Daeshin Plant Construction Co., Ltd. will wish him the best and success in many years to come.

Yours sincerely,

DAESHIN PLANT CONSTRUCTION CO., LTD. B.E.S.T BASHA REFINERY UPGRADING PROJECT

Kim, Jeong Tae

Admin Manager
M/s. Daeshin Plant Construction Co., Ltd.

ZUBAIR NORTH NEW DGS PROJECT

SAMSUNG ENGINEERING

Certificate of Achievement

This is Certifying that ***MR.Jay Prakash Singh*** employee has worked under

SAMSUNG ENGINEERING

As ***(6G WELDER)*** from ***18-NOV-2016*** till ***20-JULY-2018*** for our ***Zubair North DGS Project.***

During the tenure of service we have found him to be very sincere , efficient and hard working person and discharged the assigned duties satisfactorily.

20TH JULY-2018

SAMSUNG ENGINEERING CO., LTD. SAMSUNG ENGINEERING Zubair North New DGS Project

.....

PIPING DEPARTMENT

SAMSUNG ENGINEERING COMPANY LIMITED