CURRICULUM -VITAE



MR. ROHIT BHARTI

Permanent Address

S/O. SHRI. SUVASH BHARTI
VILL - SAKHOPAR, POST – SAKHOPAR,
DIST – KUSHINAGAR,
PIN - 274402, UTTARA PRADESH, (INDIA)
MOBILE NO. – +91 8601621308

POST APPLIED FOR "6G TIG & ARC WELDER CS/SS"

Being give to understand and that you have been recruiting personnel for the above post. I am taking this opportunity to submit my candidature with relevant Details for you kind consideration.

PERSONAL DETAILS :

➢ FULL NAME	:	**MR. ROHIT BHARTI**
➢ FATHER'S NAME	:	SHRI. SUVASH BHARTI
➢ MOTHER'S NAME	:	SMT. SONI DEVI
➢ WIFE'S NAME	:	SMT. NISHA DEVI
➢ DATE & PLACE OF BIRTH	:	01/01/1989, KUSHINAGAR, (U.P)
➢ EDU. QUALIFICATION	:	**8TH PASSED**
➢ NATIONALITY RELIGION	:	INDIAN/HINDU
➢ MARITAL STATUS	:	MARRIED
➢ LANGUAGE KNOWN	:	HINDI & ENGLISH

PASSPORT DETAILS

• PASSPORT NO.	:	**P1289827**
• PLACE OF ISSUE	:	LUCKNOW
• DATE OF ISSUE	:	24/06/2016
• DATE OF EXPIRY	:	23/06/2026

WORK EXPERIENCE IN INDIA :

S.N	NAME OF COMPANY	POSITION	PERIOD
1	SHAPOORJI PALLONJI & CO. PVT. LTD. RWANDA WEST AFRICA	6G TIG & ARC WELDER	22.12.2016 TO 18.11.2017

WORK EXPERIENCE IN INDIA :

S.N	NAME OF COMPANY	POSITION	PERIOD
1	UB ENGINEERING LTD.	6G TIG & ARC WELDER	10.01.2018 TO 21.12.2020
2	RAGMET ENGINEERS (P) LTD.	6G TIG & ARC WELDER	04.02.2021 TO 15.02.2023
3	JYOTSNA ENTERPRISES	6G TIG & ARC WELDER	08.04.2023 TO 20.11.2024
4	GODREJ & BOYCE MFC. CO. LTD.	6G TIG & ARC WELDER	24.01.2025 TO TILL DATE

DECLAROATION:

I hereby declare that the above information is true to the best of my knowledge. I given a chance, I will try my best to come true to your aspirations.

Place:
Date:

SANTOSH KUMAR
(Signature of Applicant)







इस पासपोर्ट में 36 पृष्ठ हैं। This passport contains 36 pages.

भारत गणराज्य REPUBLIC OF INDIA



टाईप / Type: P
राष्ट्र कोड / Country Code: IND
पासपोर्ट नं. / Passport No.: P 1289827

उपनाम / Surname: BHARTI

दिया गया नाम / Given Name(s): ROHIT

राष्ट्रीयता / Nationality: भारतीय / INDIAN
लिंग / Sex: M
जन्मतारीख / Date of Birth: 01/01/1989

जन्म स्थान / Place of Birth: KUSHINAGAR, UTTAR PRADESH

जारी करने का स्थान / Place of Issue: LUCKNOW

ROHIT BHARTI

जारी करने की तिथि / Date of Issue: 24/06/2016
समाप्ति की तिथि / Date of Expiry: 23/06/2026

P<INDBHARTI<<ROHIT<<<<<<<<<<<<<<<<<<<<<<<<<<<<

P1289827<6IND8901011M2606233<<<<<<<<<<<<<<<0


IMMIGRATION INDIA
A256
A4 - 256
19 NOV 2017
ARRIVAL
CSI AIRPORT, MUMBAI
A256


MISCELLANEOUS SERVICE
OBSERVATION
EMIGRATION CHECK REQUIRED
P1289827
पिता / कानूनी अभिभावक का नाम / Name of Father / Legal Guardian
SUVASH BHARTI
माता का नाम / Name of Mother
SONI DEVI
पति या पत्नी का नाम / Name of Spouse
NISHA DEVI
पता / Address
VILL-SAKHOPAR
POST-SAKHOPAR,KUSHI NAGAR
PIN:274402,UTTAR PRADESH,INDIA
पुराने पासपोर्ट का नं. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue
फाईल नं./File No.
LK1069993694016

Shapoorji Pallonji

Date: 18 Nov, 2017

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **Mr. ROHIT BHARTI** was being employed with H.K Construction Rwanda Private Limited/SPCPL from 22 Dec, 2016 to 18 Nov, 2017 at **2 X 35 MW Peat Fired Power Plant, Rwanda West Africa** having designation as the **6G TIG & ARC WELDER**.

We wish him all the success in his future endeavors.

For Shapoorji Pallonji & Co Pvt. Ltd, Rwanda

SHAPOORJI PALLONJI AND COMPANY PRIVATE LIMITED

Biplab Rakshit
Branch Director

Shapoorji Pallonji And Company Private Limited
Buye Village, Kabumbwe Cell, Mamba Sector,
Southern Province, District – Gisagara,
PO Box 549, Huye (Rwanda). Company Code : 103706154
Tel +250 788387313, E-mail : spepc.rwanda@shapoorji.com

Shapoorji Pallonji EPC

JYOTSNA ENTERPRISES

(GOVT. REGISTERED CONTRACTOR)

ENGINEERS & CONTRACTOR

Phone : 2553 2914
Telefax : 2553 6558
E-mail : jyotsnaenterprises@gmail.com
jyotsnaenterprises@yahoo.com

A/27, Nav Bharat Apartment, R. C. Marg, Chembur, Mumbai - 400 074.

Date: 20.11.2024

TO WHOM SOEVER IT MAY CONCERN

This is to certify that **MR. ROHIT BHARTI** had worked with **Jyotsna Enterprises** form **08.04.2023** to **20.11.2024**. at our site **H.P.C.L. Refinery Chembur Mumbai 400074**.

At the time of relieving form the company, His designation was **"6G TIG & ARC WELDER CS/SS"**.

During his employment with us we found him honest & hardworking in performing his duties.

We wish him all the best for his future endeavors.

Thanking you

For: JYOTSNA ENTERPRISES

JYOTSNA ENTERPRISES

Project Manager

JYOTSNA ENTERPRISES

(GOVT. REGISTERED CONTRACTOR)

ENGINEERS & CONTRACTOR

Mob. 9820153561
9869201851
Phone : 2553 2914
Telefax : 2553 6558
E-mail : jyotsnaenterprises@gmail.com
jyotsnaenterprises@yahoo.com

A/27, Nav Bharat Apartment, R.C. Marg, Chembur, Mumbai - 400 074.



Site, H.P.C.L. Refinery Chembur Mumbai 400074.

WELDER PERFORMANCE QUALIFICATION RECORD (WPQR)

WELDER'S NAME: ROHIT BHARTI

SATAMP NO : W/T-110
DIA. 2"/6

In Accordance with WPS NO. 308

The Above Welder is Qualification of the following Ranges Manual of Semiautomatic

Variable	ACTUAL Values Used in Qualification	RANGES Qualified Range
PROCESS (ES)	**GTAW+SMAW**	**GTAW+SMAW**
PROCESS TYPE	MANUAL	MANUAL
BACKING	GTAW without	SMAW with & Without
MATERIAL SPEL. P. no.	C.S./S.S.	C.S./S.S.
THICKNESS : GROOVE	12 mm	24mm All
FILLET	NA	NA
IAMETER GROOVE	168mm OD	73mm OD & Above
FILLET	NA	NA
FILLER METAL :	**ER-70S2+E-7018**	**ER-70S2+E-7018**
SPEC N	GTAW+SMAW	GTAW+SMAW
CLASS : AWS	SFA-5.18	SFA-5.1
F.NO.	G-4/6	S-4/6
GAS TYPE (QW-408)	ER-316L+ER308	ER-316L+ER308
WELDING POSITION	6G TIG	6G
CUPRENT	UPHILL	UPHILL
GAS TYPE/MISTURE	D.C	D.C
GAS TYPE / MISTURE	N/A	N/A
VISUAL EXAMINATION	SATISFACTORY	

This Record And Dial The Test Coupons Were Prepared Welded And Testes In A Accordance With The Requirement Offset.
Ix Of The Asme Code

Inspecting Authority : EIL
SIGH

DATE: 08/04/2023 TO 20/11/2024

JYOTSNA ENTERPRISES

(GOVT. REGISTERED CONTRACTOR)

ENGINEERS & CONTRACTOR

A/27, Nav Bharat Apartment, R.C. Marg, Chembur, Mumbai - 400 074

WELDER'S IDENTIFICATION CARD

Name : **HARERAM YADAV**

Type Of Welding : MANUAL

Welder No. : W/T-110

Welding Process : GTAW+SMAW

Approves by : EIL

Date : 08/04/2023

Position : 6G

Site : H.P.C.L. Mumbai



QUALIFICATION DETAILS

Wps No. Metal	Weld Process	Filer Material	Position	Thick Qualified	Qualification Cation Date	Classification	Sign
6" DIA CS	GTAW + SMAW	ER-70S2 E-7018	6G	10.97MM 14.27MM	08/04/2023	ASTM A-106 GRB	
2" DIA SS	GTAW	ER-316L ER-308	6G	12MM 24MM	"	ASTM A- 312 GRB	

Ragmet Engineers (P) Ltd.

8/101, Jogani
Industrial Estate.
Next to A TI,
Sion-Chunabhatti Road,
Mumbai - 400 022.

A ISO 9001 COMPANY

Date: 15.02.2023

TO WHOM IT MAY CONCERN

This is to certify that **MR. ROHIT BHARTI** has been working with us in our company in the position of "**6G TIG & ARC WELDER**" since **04.02.2021** to **15.02.2023** at our site **B.P.C.L. Refinery Chembur, Mumbai**.

During the tenure he was found sincere punctual and hard working man. His work was very satisfactory. He was capable to handle the work. To the best of our knowledge and belief he bears a good moral character.

This certificate has been issued upon his request for his better prospects without any obligation to the company.

We wish him all the success for his future life.

For: Ragmet Engineers Pvt. Ltd.

RAGMET ENGINEERS

Mr. V.S. Pillai
(Admin Manager)

Ragmet Engineers (P) Ltd.

BPCL REFINERY, CHEMBUR, MUMBAI.

WELDER ID CARD HOLDER

Welder Name	:	ROHIT BHARTI
Welder No.	:	W-251
Wps No.	:	RE/WPS-46
Position	:	6G
Welding Process	:	GTAW+SMAW
Electrode	:	ER-70S2 E-7018
Date Of Test	:	04/02/2021
Approve By	:	EIL



WELDER CODIFIED DETAIL	
Welding Process	GTAW+SMAW
Electrode Filler Wire	ER-70S2 E-7018
Thickness & Range	10.97mm 21.97mm
DIA/METAL	DIA 6" INCH/CS
Position	6G
Date Of Test	04/02/2021
Approve By	EIL

Ragmet Engineers (P) Ltd.

8/101, Jogani
Industrial Estate.
Next to A TI,
Sion-Chunabhatti Road,
Mumbai - 400 022.

A ISO 9001 COMPANY

WELDER'S PERFORMANCE QUALIFICATION TEST CERTIFICATE



JOB

Welder Name : **ROHIT BHARTI**
Welder No. : **W-251**
Date of Qualification : **04/02/2021**
The above Welder is qualified for the following ranges :

TEST DESCRIPTION

The above Welder is qualified for the following ranges
Specification of Base . Metal(s). SA 106 GRB

TESTENG CONDITIONS AND QUALIFICATI LIMITS

WELDER VARRIABLES (AQW-350)		ACTUAL	ANGE QUALIFIED
Welding process ( )	**(PIPE)**	**GTAW+SMAW**	**GTAW+SMAW**
Lype Manual( ) Semi Auto ( )		Manual	Manual
Backing Yes ( ) No ( )		SMAW With Backing GTAW Without Backing	SMAW With Backing GTAW Without Backing
Base Metal P .No. P.No		P1 TO P1	P1 TO P1
Thickness Groove		10.97 mm	21.94 mm
Diameter	Groove	6" (inches)	2 7/8" OD and above
	Fillet	N/A	All
Electrode Specification (SFA)		5.18	5.18
Electrode Classification		ER – 70S2+E-7018	ER – 70S2+E-7018
Filler metal f-number		F6/F4	F6/F4
Consumable Insert (GTAW OR PAW)		N/A	N/A
Filler Type (Solid of FLUE Cord)		Solid/ Composite	Solid /Composite
Position Qualified		**6G WELDER**	**ALL**
Weld Progression (Uphill or Downhill)		Uphill	Uphill
Type of Gas (Shielding / Purging)		ARGON/ARC/ / 99.995%	ARGON / ARC/99.995%
Inert gas Backing		ARGON /ARC/ 99.995%	ARGON /ARC/ 99.995%
Current Type/Polarity		DCEN for GTAW DCEP for SMAW	DCEN for GTAW DCEP for SMAW
Fillet Weld Fracture Results Fracture Test		N/A Macro Test – N/A	

Test conducted by : EIL Lab

Test no. : E.N. -24- 04/02/2021

We certify that statements in the this record are correct test welds were prepared welder tested in accordance with the requirement of am section IX.

Tasting Date: 04/02/2021

UB ENGINEERING

wie
DIVISION

Date: 21.12.2020

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **Mr. ROHIT BHARTI** has been working with our concern as a **"6G TIG & ARC WELDER"** at our site, **R.P.L., Jamnagar Gujarat** from **10.01.2018** to **21.12.2020.**

During this period we found he is honest and hardworking in the job entrusted to him. We are quite satisfied of his performance during the tenure of his service with us. He bears a good moral character.

This certificate is issued to him at his own request. We wish him every success throughout his career.

FOR: UB ENGINEERING LIMITED.

UB ENGINEERING LIMITED

(Formerly WESTERN INDIA ENTERPRISES LIMITED)
SAHYADRI SADAN, TILAK ROAD, PUNE-411 030. INDIA. TEL. : (0212) 430127, 430199, 430209,
TELEFAX : 145-7221 WIE IN, 145 7496 WEST IN, 145-7481 EREC IN. FAX . (0212) 441097. GRAM : ERECTORS

THE UB GROUP

UB ENGINEERING

wie DIVISION

WELDER'S QUALIFICATION RECORD TESTED CERTIFICATE

SITE, R.P.L., Jamnagar Gujarat



JOB

Welder Name : **ROHIT BHARTI**

Welder No. : **W-188**

Date of Qualification : **10/01/2018**

The above Welder is qualified for the following ranges :

Variable	Record Actual Values Used in Qualification	Qualification Ranges
1. Process	GTAW/SMAW	GTAW/SMAW
Runs	Manual	Manual
2. Materials Details	----------	----------
Material Spec.	ASTM A-106- GRB	ASTM A-106- GRB
Thickness	5.54 MM	11.08 MM
Diameter	6"X 80 SCH	6"X 80 SCH
Groove	SINGLE V	SINGLE V
Fillet	N/R	N/R
3. Electrodes/Filler wire details	N/R	N/R
Fillet Metal Spec. No.	ER-70S2, E-7018	ER-70S2, E-7018
Class	02	02
F. No.	N/R	N/R
4. Position	6G	ALL
5. Weld Progression	UPHILL	UPHILL
6. Shielding/Puraing Requirement	N/R	N/R
Gas Type	ARGON	ARGON
Shielding	N/R	N/R
Puraing	N/R	N/R
7. Electrical Characteristics:	N/R	N/R
Current	DC-90 TO 110 AMP	DC-90 TO 110 AMP
Polarity	DCSP	DCSP

Test	
Name of Test	DEPE & X-RAY TEST
Guided Band Test	N/R
Radiography Test	SATISFACTORY
Fracture Test	N/R
Micro Test	N/R
Test Conducted by	REAL
Laboratory Test Report	SATISFACTORY
Date	10/01/2018

Signature

Signature

UB ENGINEERING

wie
DIVISION

WELDER'S IDENTITY CA



Name : ROHIT BHARTI

W.No. : W-188

Approvedby : REAL

Site : RPL Jamnagar Gujarat.

Material specification.	THICKNESS RANGE QUALIFIED	POSITION OF WELD	ELECTRODE SPECIFICATION	DATE OF TEST	VALID UPTO	SIGNATURE
IS	5.54mm	GTAW	ER-70S2	10.01	TILL	
106	11.08mm	SMAW	E-7018	2018	SATISFACTORY	
GRB		6G			PERFORMANCE	

Godrej & Boyce Mfg. Co. Ltd.
Pirojsha nagar. Eastern Express Highway.
Vikhroli, Mumbai- 400 079 INDIA.
Email:info@godrej.com

WELDER'S IDENTIFICATION CARD



Welder Name	:	**ROHIT BHARTI**
Welder No.	:	LT-130
Welding Process	:	GMAW+SMAW
Approves by	:	EIL
Date	:	24/01/2025
Position	:	6G
Site	:	VIKHROLI MUMBAI

Metal	Weld Process	Filer Material	Position	Thk Range	Date of test	Classification	Sign
6" DIA CS	GTAW + SMAW	ER-70S2 E-7018	6G	10.97MM 14.27MM	24/01/ 2024	ASTM A-106 GRB	
2" DIA SS	GTAW	ER-316L ER-308	6G	7.11MM 14.22MM	"	ASTM A-312 GRB	